Session 16

Ambiguity

Ambiguity

If there is more than one structure with the same root and the same yield generated by a grammar then the grammar is ambiguous

- Two kinds of ambiguity
- In the grammar
- In the language
- If a grammar is ambiguous there might be an unambiguous grammar for the same language
- A language is inherently ambiguous if all its grammar are ambiguous
- There is no algorithm to tell whether a grammar is ambiguous

Dr. Luis Pineda IIMAS UNAM & OSU-CIS 200

An ambiguous grammar

Exp is a CFG

-
$$G_{exp} = (\{E\}, \{+, *, (,), 1, ..., 9\}, E, P)$$

where $P = \{E \rightarrow E + E \mid E * E \mid (E) \mid 1 \mid ... \mid 9\}$

- An ambiguous expressions:
- -E+E*E

Two derivations:

- $E \Rightarrow E + E \Rightarrow E + E * E$
- $E \Rightarrow E * E \Rightarrow E + E * E$
- They look the same!

Dr. Luis Pineda, IIMAS, UNAM & OSU-CIS, 200

An ambiguous grammar

The final expression looks the same:

$$-E \Rightarrow^* E + E * E$$

$$-E \Rightarrow^* E + E * E$$

But the derivations are different:

$$- E \Rightarrow E + E \Rightarrow E + E * E$$

$$- E \Rightarrow E * E \Rightarrow E + E * E$$

Dr. Luis Pineda, IIMAS, UNAM & OSU-CIS, 200

An ambiguous grammar

They final expression looks the same:

$$-E \Rightarrow^* E + E * E$$

$$-E \Rightarrow^* E + E * E$$

The corresponding syntactic structures are also different!



r. Luis Pineda, IIMAS, UNAM & OSU-CIS, 200

An ambiguous grammar

The difference is significant

$$- E \Rightarrow E + E \Rightarrow E + E * E \Rightarrow * 3 + 4 * 2$$

$$-E \Rightarrow E * E \Rightarrow E + E * E \Rightarrow ^* 3 + 4 * 2$$



The defect may not be in the grammar

But different derivations may have the same structure

- $E \Rightarrow E + E \Rightarrow 3 + E \Rightarrow 3 + 2$
- $E \Rightarrow E + E \Rightarrow E + 2 \Rightarrow 3 + 2$



Ambiguity arises when there is more than one structure for the same expression!

Dr. Luis Pineda, IIMAS, UNAM & OSU-CIS, 200

An ambiguous grammar

A CFG $G = (V, \Sigma, S, P)$ is *ambiguous* if there is at least one string w in Σ^* for which there is more than one parse tree or syntactic structure, each with root S and yield w

If every string in the grammar has at most one parse tree, the grammar is *unambiguous*

If G is an ambiguous CFG such that L = L(G), and there is an unambiguous G_i such that $L = L(G_i)$, we can remove the ambiguity by replacing G by G_i

Dr. Luis Pineda, IIMAS, UNAM & OSU-CIS, 200

Removing ambiguity

- In general, there is no algorithm for removing ambiguity
- There are CFG that have only ambiguous grammars!
- In practice, and for some applications like defining CFG for programming languages, we can remove the ambiguity
- For this, we need to study the causes for the ambiguity of the grammar under study, and then provide a particular solution!

Dr. Luis Pineda, IIMAS, UNAM & OSU-CIS, 2003

"+" has higher precedence

Removing ambiguity

Consider the language G_{exp} again: where the ambiguity comes from?

Source 1:


- Precedence of operators is not respected!

Source 2:

- A sequence of identical operators can be grouped either from left to right or from right to left
- This does not matter if operators are associative

Dr. Luis Pineda, IIMAS, UNAM & OSU-CIS, 2003

"*" has higher precedence



An ambiguous grammar

Arbitrary groupings of operators with equal precedence:


 $-E \Rightarrow^* E + E + E$



Left: E + E + E

Right: E + E + E

Dr. Luis Pineda, IIMAS, UNAM & OSU-CIS, 2003



Removing ambiguity

Enforcing precedence

 Introduce different kinds of variables representing expressions that share a level of "binding strength": factors, terms and expressions

Extending G_{exp} with identifiers:

-
$$G_{exp} = (\{E, I\}, \{+, *, (,), a, b, 0, 1\}, E, P)$$

where $P = \{E \rightarrow E + E \mid E * E \mid (E) \mid I,$
 $I \rightarrow a \mid b \mid Ia \mid Ib \mid I0 \mid I1\}$

What are the factors, terms and expressions in G_{exp} ?

Dr. Luis Pineda, IIMAS, UNAM & OSU-CIS, 200

Binding strength

A factor (in $\overline{G_{exp}}$)

- An expression that cannot be broken apart by any adjacent operator.
 - a) Identifiers: $a1+b00*aa10 \Rightarrow (a1+b0)(0*aa10)$?
 - b) Expression between parenthesis: parenthesis make expressions within them coherent units! They are syntactic devices for creating factors!

A term (in G_{avn})

- An expression that cannot be broken by a + operator:

 $a1*a*b \Rightarrow (a1*a)*b$ is ok. (assoc. by the left) $a1+a*b \Rightarrow (a1+a)*b$? a*b is a term!

An expression (G_{exp})

Any well-formed string that can be broken either by an adjacent + or a *: an expression is the sum of two terms

Dr. Luis Pineda, IIMAS, UNAM & OSU-CIS, 200

Removing ambiguity

Enforcing precedence

With these precedence variables we can find an alternative unambiguous grammar for G_{exp} (i.e. one that generates the same language):

$$G_{exp-I} = (\{E, T, F, I\}, \{+, *, (,), a, b, 0, 1\}, E, P)$$
 where $P = \{I \rightarrow a \mid b \mid Ia \mid Ib \mid I0 \mid I1, F \rightarrow I \mid (E)$

 $T \to F \mid T * F$ $E \to T \mid E + T$

The rules are designed in a way that variables with lower binding strength dominate variables with a higher binding strength.

Dr. Luis Pineda, IIMAS, UNAM & OSU-CIS, 2003

Generate: a + a * a

The productions:

$$P = \{I \rightarrow a \mid b \mid Ia \mid Ib \mid I0 \mid I1,$$

 $F \rightarrow I \mid (E)$


 $T \to F \mid (T * F)$


 $E \rightarrow T \mid E + T$


The derivation


 $E \Rightarrow E + T$


Dr. Luis Pineda, IIMAS, UNAM & OSU-CIS, 2003







































Ambiguity and leftmost derivations

Leftmost derivation:	Theorem: For each
$E \Rightarrow E + T$	grammar
$\Rightarrow T + T$	G = (V, T, P, S)
$\Rightarrow F + T$	and string w in T^* , w
$\Rightarrow I + T$	has two distinct parse
$\Rightarrow a + T$	trees iff w has two leftmost derivations
$\Rightarrow a + (T * F)$	from S
$\Rightarrow a + (F * F)$	Proof: if it were not
$\Rightarrow a + (I * F)$	the case, a left
$\Rightarrow a + (a * F)$	variable in a leftmost
$\Rightarrow a + (a * I)$	derivation should expand in more than
$\Rightarrow a + (a * a)$	one way!

Inherent ambiguity A language L is said inherently ambiguous if all its grammars are ambiguous; if there is at least one unambiguous grammar for L, L is unambiguous. The language of Expressions is unambiguous. Regular expressions are unambiguous An example of an inherently ambiguous language: $L = \{a^nb^nc^md^m \mid n \geq 1, m \geq 1\} \cup \{a^nb^mc^md^n \mid n \geq 1, m \geq 1\}$ L is context free: $S \rightarrow AB \mid C$ $A \rightarrow aAb \mid ab$ $C \rightarrow aCd \mid aDd$ $B \rightarrow cCd \mid cd$ $D \rightarrow bCc \mid bc$

Inherent ambiguity L is context free: $S \rightarrow AB \mid C$ $A \rightarrow aAb \mid ab$ $C \rightarrow aCd \mid aDd$ $B \rightarrow cBd \mid cd$ $D \rightarrow bDc \mid bc$ The grammar is ambiguous: there are strings with more than two leftmost derivations: Consider: aabbccdd (m = n = 2) $S \Rightarrow AB \Rightarrow aAbB \Rightarrow aabbB \Rightarrow aabbcBd \Rightarrow aabbccdd$ $S \Rightarrow C \Rightarrow aCd \Rightarrow aaDdd \Rightarrow aabDcdd \Rightarrow aabbccdd$



Inherent ambiguity

- $L = \{a^n b^n c^m d^m \mid n \ge 1, m \ge 1\} \cup \{a^n b^n c^m d^n \mid n \ge 1, m \ge 1\}$ The grammar

- $\begin{array}{ccc}
 & S \to AB \mid C & A \to aAb \mid ab \\
 & B \to cCd \mid cd
 \end{array}$
- Why are all the grammars for this language ambiguous?
- Consider any string such that m = n
- There two leftmost derivations for all these strings
- What changes in the grammar can we try?

The problem: The disjunction!

- There is no way to avoid a mechanism to match the same number of a's and b's, and at the same time, a mechanism for matching the number of a's and d's
- Similarly for matching c's and d's and, at the same time, b's

