

Session 19

Deterministic Pushdown Automata

Three versions of Pal

- $Pal_{mark} = \{xcx^r \mid x \in \{a, b\}^*\}$
– $abbacabba$
- $Pal_{even} = \{xx^r \mid x \in \{a, b\}^*\}$
– $aabbbbbaa$
- $Pal = \{x \mid x = x^r \in \{a, b\}^*\}$
– $aabbbbbaa$
– $aabbabbbaa$

Dr. Luis Pineda, IIMAS, UNAM & OSU-CIS, 2003

A machine for accepting Pal

- The language:
 $Pal = \{x \mid x = x^r \in \{a, b\}^*\}$
- Define M_{pal} :
 $M = (\{q_0, q_1, q_2\}, \{0, 1\}, \{0, 1, Z_0\}, q_0, Z_0, \{q_2\}, \delta)$
- Two kinds of non-determinism:
 - For a given state, input symbol and top of the stack there is more than one move
 - There are states in which the machine has the choice between consuming a symbol or making a Λ -transition

Dr. Luis Pineda, IIMAS, UNAM & OSU-CIS, 2003

Transition function for Pal

Id	State	Input	Stack symbol	Move(s)
1	q_0	0	Z_0	$(q_0, 0Z_0), (q_1, Z_0)$
2	q_0	1	Z_0	$(q_0, 1Z_0), (q_1, Z_0)$
3	q_0	0	0	$(q_0, 00), (q_1, 0)$
4	q_0	1	0	$(q_0, 10), (q_1, 0)$
5	q_0	0	1	$(q_0, 01), (q_1, 1)$
6	q_0	1	1	$(q_0, 11), (q_1, 1)$
7	q_0	Λ	Z_0	(q_1, Z_0)
8	q_0	Λ	0	$(q_1, 0)$
9	q_0	Λ	1	$(q_1, 1)$
10	q_1	0	0	(q_1, Λ)
11	q_1	1	1	(q_1, Λ)
12	q_1	Λ	Z_0	(q_2, Z_0)
Other combinations				non

Dr. Luis Pineda, IIMAS, UNAM & OSU-CIS, 2003

More than one next state Pal


Id	State	Input	Stack symbol	Move(s)
1	q_0	0	Z_0	$(q_0, 0Z_0), (q_1, Z_0)$
2	q_0	1	Z_0	$(q_0, 1Z_0), (q_1, Z_0)$
3	q_0	0	0	$(q_0, 00), (q_1, 0)$
4	q_0	1	0	$(q_0, 10), (q_1, 0)$
5	q_0	0	1	$(q_0, 01), (q_1, 1)$
6	q_0	1	1	$(q_0, 11), (q_1, 1)$
7	q_0	Λ	Z_0	(q_1, Z_0)
8	q_0	Λ	0	$(q_1, 0)$
9	q_0	Λ	1	$(q_1, 1)$
10	q_1	0	0	(q_1, Λ)
11	q_1	1	1	(q_1, Λ)
12	q_1	Λ	Z_0	(q_2, Z_0)
Other combinations				non

Dr. Luis Pineda, IIMAS, UNAM & OSU-CIS, 2003

Λ -Transition

Id	State	Input	Stack symbol	Move(s)
1	q_0	0	Z_0	$(q_0, 0Z_0), (q_1, Z_0)$
2	q_0	1	Z_0	$(q_0, 1Z_0), (q_1, Z_0)$
3	q_0	0	0	$(q_0, 00), (q_1, 0)$
4	q_0	1	0	$(q_0, 10), (q_1, 0)$
5	q_0	0	1	$(q_0, 01), (q_1, 1)$
6	q_0	1	1	$(q_0, 11), (q_1, 1)$
7	q_0	Λ	Z_0	(q_1, Z_0)
8	q_0	Λ	0	$(q_1, 0)$
9	q_0	Λ	1	$(q_1, 1)$
10	q_1	0	0	(q_1, Λ)
11	q_1	1	1	(q_1, Λ)
12	q_1	Λ	Z_0	(q_2, Z_0)
Other combinations				non

Dr. Luis Pineda, IIMAS, UNAM & OSU-CIS, 2003



A machine for accepting Pal_{even}

- The language:
 $Pal_{even} = \{xx^r \mid x \in \{a, b\}^*\}$
- Define $M_{pal-even}$:
 $M_{pal-even} = (\{q_0, q_1, q_2\}, \{0, 1\}, \{0, 1, Z_0\}, q_0, Z_0, \{q_2\}, \delta)$
- Only one kind of non-determinism:
 - There are states in which the machine has the choice of consuming an input symbol or make a Λ -transition


Dr. Luis Pineda, IIMAS, UNAM & OSU-CIS, 2003

Transition function for $M_{pal-even}$

Id	State	Input	Stack symbol	Move(s)
1	q_0	0	Z_0	$(q_0, 0Z_0)$
2	q_0	1	Z_0	$(q_0, 1Z_0)$
3	q_0	0	0	$(q_0, 00)$
4	q_0	1	0	$(q_0, 10)$
5	q_0	0	1	$(q_0, 01)$
6	q_0	1	1	$(q_0, 11)$
7	q_0	Λ	Z_0	(q_1, Z_0)
8	q_0	Λ	0	$(q_1, 0)$
9	q_0	Λ	1	$(q_1, 1)$
10	q_1	0	0	(q_1, Λ)
11	q_1	1	1	(q_1, Λ)
12	q_1	Λ	Z_0	(q_2, Z_0)
Other combinations				non

Dr. Luis Pineda, IIMAS, UNAM & OSU-CIS, 2003

Graphical rep. of $M_{pal-even}$



- A label on an arc of form $a, X/\alpha$ from p to q means that on the input a , the top of the stack X is substituted by α :

$$\delta(p, a, X) = (q, \alpha)$$

Dr. Luis Pineda, IIMAS, UNAM & OSU-CIS, 2003

A choice of Λ -Transition

Id	State	Input	Stack symbol	Move(s)
1	q_0	0	Z_0	$(q_0, 0Z_0)$
2	q_0	1	Z_0	$(q_0, 1Z_0)$
3	q_0	0	0	$(q_0, 00)$
4	q_0	1	0	$(q_0, 10)$
5	q_0	0	1	$(q_0, 01)$
6	q_0	1	1	$(q_0, 11)$
7	q_0	Λ	Z_0	(q_1, Z_0)
8	q_0	Λ	0	$(q_1, 0)$
9	q_0	Λ	1	$(q_1, 1)$
10	q_1	0	0	(q_1, Λ)
11	q_1	1	1	(q_1, Λ)
12	q_1	Λ	Z_0	(q_2, Z_0)
Other combinations				non

Dr. Luis Pineda, IIMAS, UNAM & OSU-CIS, 2003

Transition function for $M_{pal-even}$

Id	State	Input	Stack symbol	Move(s)
1	q_0	0	Z_0	$(q_0, 0Z_0)$
2	q_0	1	Z_0	$(q_0, 1Z_0)$
3	q_0	0	0	$(q_0, 00)$
4	q_0	1	0	$(q_0, 10)$
5	q_0	0	1	$(q_0, 01)$
6	q_0	1	1	$(q_0, 11)$
7	q_0	Λ	Z_0	(q_1, Z_0)
8	q_0	Λ	0	$(q_1, 0)$
9	q_0	Λ	1	$(q_1, 1)$
10	q_1	0	0	(q_1, Λ)
11	q_1	1	1	(q_1, Λ)
12	q_1	Λ	Z_0	(q_2, Z_0)
Other combinations				non


Dr. Luis Pineda, IIMAS, UNAM & OSU-CIS, 2003

Transition function for $M_{pal-even}$

Id	State	Input	Stack symbol	Move(s)
1	q_0	0	Z_0	$(q_0, 0Z_0)$
2	q_0	1	Z_0	$(q_0, 1Z_0)$
3	q_0	0	0	$(q_0, 00)$
4	q_0	1	0	$(q_0, 10)$
5	q_0	0	1	$(q_0, 01)$
6	q_0	1	1	$(q_0, 11)$
7	q_0	Λ	Z_0	(q_1, Z_0)
8	q_0	Λ	0	$(q_1, 0)$
9	q_0	Λ	1	$(q_1, 1)$
10	q_1	0	0	(q_1, Λ)
11	q_1	1	1	(q_1, Λ)
12	q_1	Λ	Z_0	(q_2, Z_0)
Other combinations				non

Dr. Luis Pineda, IIMAS, UNAM & OSU-CIS, 2003

Accept 11



Dr. Luis Pineda, IIMAS, UNAM & OSU-CIS, 2003

A machine for accepting $M_{pal-mark}$

- The language:

$$Pal_{mark} = \{xcx^r \mid x \in \{a, b\}^*\}$$

- Define $M_{pal-mark}$:

$$M_{pal-mark} = (\{q_0, q_1, q_2\}, \{0, 1\}, \{0, 1, Z_0\}, q_0, Z_0, \{q_2\}, \delta)$$

- No non-determinism at all!


Dr. Luis Pineda, IIMAS, UNAM & OSU-CIS, 2003

Transition function for $M_{pal-mark}$

Id	State	Input	Stack symbol	Move(s)
1	q_0	0	Z_0	$(q_0, 0Z_0)$
2	q_0	1	Z_0	$(q_0, 1Z_0)$
3	q_0	0	0	$(q_0, 00)$
4	q_0	1	0	$(q_0, 10)$
5	q_0	0	1	$(q_0, 01)$
6	q_0	1	1	$(q_0, 11)$
7	q_0	c	Z_0	(q_1, Z_0)
8	q_0	c	0	$(q_1, 0)$
9	q_0	c	1	$(q_1, 1)$
10	q_1	0	0	(q_1, Λ)
11	q_1	1	1	(q_1, Λ)
12	q_1	Λ	Z_0	(q_2, Z_0)
Other combinations				non


Dr. Luis Pineda, IIMAS, UNAM & OSU-CIS, 2003

A Graphical Rep. of $M_{pal-mark}$



Dr. Luis Pineda, IIMAS, UNAM & OSU-CIS, 2003

Accept 1c1



Dr. Luis Pineda, IIMAS, UNAM & OSU-CIS, 2003

Definition of Deterministic PDA

- Let $M = (Q, \Sigma, \Gamma, q_0, Z_0, A, \delta)$ be a PDA. M is deterministic if there is no configuration for which M has a choice of more than one move. For this, M has to satisfy two conditions:
 - For any $q \in Q$, $a \in \Sigma \cup \{\Lambda\}$ and $X \in \Gamma$, the set $\delta(q, a, X)$ has at most one element
 - For any $q \in Q$ and $X \in \Gamma$, if $\delta(q, \Lambda, X) \neq \Phi$, then $\delta(q, a, X) = \Phi$ for every $a \in \Sigma$

A language L is a *deterministic context-free language* (DCFL) if there is a deterministic PDA (DPDA) accepting L

Dr. Luis Pineda, IIMAS, UNAM & OSU-CIS, 2003

Definition of Deterministic PDA

- Let $M = (Q, \Sigma, \Gamma, q_0, Z_0, A, \delta)$ be a PDA. M is deterministic if there is no configuration for which there is:
 - No more than one move from one configuration
 - No choice between consume a symbol and make a Λ -transition

Dr. Luis Pineda, IIMAS, UNAM & OSU-CIS, 2003

Causes of non-determinisms

- In the language?
 - $L_{pal} = \{x \mid x = x^r \in \{a, b\}^*\}$
 - $Pal_{even} = \{xx^r \mid x \in \{a, b\}^*\}$
 - $Pal_{mark} = \{xcx^r \mid x \in \{a, b\}^*\}$
- The description of languages with complex structure requires the use of powerful expressive devices in the grammar:
 - Λ
 - Choice of productions
 - Ambiguity?

Dr. Luis Pineda, IIMAS, UNAM & OSU-CIS, 2003

Causes of non-determinisms

- In the grammar
 - $G_{pal} = (\{P\}, \{0, 1\}, P, P \rightarrow 0P0 \mid 1P1 \mid 0 \mid 1 \mid \Lambda)$
 - $G_{pal-even} = (\{P\}, \{0, 1\}, P, P \rightarrow 0P0 \mid 1P1 \mid \Lambda)$
 - $G_{pal-mark} = (\{P\}, \{0, 1\}, P, P \rightarrow 0P0 \mid 1P1 \mid c)$
- What production was used to generate a symbol in a particular derivation?
 - 001100 $P \rightarrow 0P0$ or $P \rightarrow 0$?
 - 001 Λ 100 $P \rightarrow \Lambda$ is used, but when?

Dr. Luis Pineda, IIMAS, UNAM & OSU-CIS, 2003

Removing non-determinism?

- Removing Λ -productions:
 - $G_{pal} = (\{P\}, \{0, 1\}, P, P \rightarrow 0P0 \mid 1P1 \mid 0 \mid 1 \mid 00 \mid 11)$
 - $G_{pal-even} = (\{P\}, \{0, 1\}, P, P \rightarrow 0P0 \mid 1P1 \mid 00 \mid 11)$
- This is not enough!
 - For a given left-side variable we still have different right-sides producing the same next symbol in a derivation!

$$P \rightarrow 0P0 \mid 0 \mid 00$$
 - During interpretation we cannot tell what production was in used (in generation) relying only in local information: interpretation state, input symbol and symbol on top of the stack

Dr. Luis Pineda, IIMAS, UNAM & OSU-CIS, 2003

The PDA for Pal_{mark} is deterministic!

- $Pal_{mark} = \{xcx^r \mid x \in \{a, b\}^*\}$
 - $G_{pal-mark} = (\{P\}, \{0, 1\}, P, P \rightarrow 0P0 \mid 1P1 \mid c)$
- No productions induce non-determinism:
 - $P \rightarrow 0P0 \mid 1P1$: One push and one pop!
 - $P \rightarrow c$: Reaching the first half
- No production with the same left-side variable produce the same next symbol in the right-side!

Dr. Luis Pineda, IIMAS, UNAM & OSU-CIS, 2003

DPDA and Regular languages

- Regular grammars have a corresponding NFA
- NFA has an equivalent FA
- FA is deterministic
- A DPDA can simulate deterministic FA
 - Define a PDA that only uses its states (i.e. it has a stack and stack symbol, but these are not used!)
 - If $A = (Q, \Sigma, q_0, A, \delta_A)$ is a FA construct a PDA

$$P = (Q, \Sigma, \Gamma, q_0, Z_0, A, \delta_p)$$


such that

$$\delta_p(q, a, Z_0) = \{(p, Z_0)\}$$

for all states p and q in Q such that $\delta_A(q, a) = p$

Dr. Luis Pineda, IIMAS, UNAM & OSU-CIS, 2003

DPDA and Regular languages




Dr. Luis Pineda, IIMAS, UNAM & OSU-CIS, 2003

Deterministic CFL

- Pal_{mark} has a *DCFL* (has a corresponding DPDA)
- Pal_{mark} is not a *RL*:
 - The pumping lemma: Consider $w = 0^n c 0^n$: choose uv two groups of 0's of the first half: pump down the v group, and the resulting string is not in the language!
- On the other hand, Pal and Pal_{even} are *CFL* for which there is no DPDA
- The set of *deterministic CFL* properly include *RL* and is properly included in *CFL*

Dr. Luis Pineda, IIMAS, UNAM & OSU-CIS, 2003

There is a class of Deterministic CFL



- Is the class of Deterministic *CFL* equivalent with the class of unambiguous *CFL*?


Dr. Luis Pineda, IIMAS, UNAM & OSU-CIS, 2003

Deterministic and ambiguous CFL

- $L_{pal} = \{x \mid x = x^r \in \{a, b\}^*\}$
 - $G_{pal} = (\{P\}, \{0, 1\}, P, P \rightarrow 0P0 \mid 1P1 \mid 0 \mid 1 \mid 00 \mid 11)$
- PDA for G_{pal} is Non-deterministic!
- G_{pal} is unambiguous: Leftmost derivations are unique!
- Several derivations but one tree!
 - We might make wrong guesses along the way (which eventually will die before reaching the accepting state)
 - There may be several derivations (e.g. rightmost, leftmost)
 - But there is only one structure for the input string!

Dr. Luis Pineda, IIMAS, UNAM & OSU-CIS, 2003

Deterministic and ambiguous CFL



- Is the class of Deterministic *CFL* equivalent with the class of unambiguous *CFL*: NO!

Dr. Luis Pineda, IIMAS, UNAM & OSU-CIS, 2003